


# Econoboard

## COATED

Econoboard and Econoboard Coated provide very effective heat insulation, warming your room quicker and saving money through heat-loss reduction. They are the essential partner to any underfloor heating system being Thermonet, Vario or Thermofoil.

Thermogroupuk strongly recommend the use of Econoboard coated for insulation and stability purposes. Simply screw onto timber surfaces using the washers or adhere to screed or concrete using tile adhesive.


### Timber substrate installation



### Features at a glance

- EXTREMELY EFFECTIVE HEAT INSULATING PROPERTIES
- TOTALLY IMPERVIOUS TO MOISTURE
- FAST-TRACK FLOOR PREPARATION
- REPLACES PLASTERBOARD AND PLYWOOD
- DIMENSIONALLY STABLE
- COMPLETELY ROT PROOF
- CAN BE CUT TO SIZE USING A STANLEY KNIFE

**You shouldn't install a system without it!** Dramatically reduces wasted energy, waterproofs and strengthens your floor.



### Econoboard COATED

STOCK NUMBER	DESCRIPTION	SIZE (M)	EX VAT
6106	Econoboard Coated 6mm	1.3 x 0.6	19.84
6110	Econoboard Coated 10mm	1.3 x 0.6	21.26
6112	Econoboard Coated 12mm	1.3 x 0.6	22.64
6120	Econoboard Coated 20mm	1.3 x 0.6	23.60
6130	Econoboard Coated 30mm	1.3 x 0.6	27.22
6140	Econoboard Coated 40mm	1.3 x 0.6	31.60
6150	Econoboard Coated 50mm	1.3 x 0.6	33.36
6015	Reinforcing Tape (100mm x 45m)	roll	13.52
6016	Fixing Washers (pk 100)	pk	15.65
6017	32mm Fixing Screws (pk 1000)	pk	14.81

Use our fixing washers, Stock no 6016, at 300 mm centres to mechanically fix Econoboard Coated to a timber substrate.

**For detailed installation information see the Installation Guide.**

The original uncoated insulation board is completely rot proof and easily cut to size for concrete floors.



Thermonet strongly recommend the use of additional insulation to improve the efficiency of any underfloor heating installation, designed for use on stable concrete floors. At 10.5mm thick Econoboard offers greatly improved insulation. Econoboard will vastly improve insulation values where height build up poses a problem.


You will require flexible cement based tile adhesive such as stock no **6009** to adhere Econoboard to the substrate.

### Concrete substrate installation



Econoboard			
STOCK NUMBER	DESCRIPTION	SIZE (M)	EX VAT
6014	Econoboard 10.5mm (pk 10)	1.3 x 0.6	90.74
6009	Econofix (25kg) – for use with 6014		45.30

### Boost efficiency with Insulation



Good insulation dramatically boosts the efficiency of your new Thermonet system by minimising the amount of lost heat energy. A well insulated system is more energy efficient and cheaper to run.

Consider overlaying with a suitable insulation board such as Econoboard or Econoboard Coated.

### Features at a glance

- IMPROVES INSULATION
- MINIMAL HEIGHT BUILD UP
- COMPLETELY ROT PROOF
- CAN EASILY BE CUT TO SIZE

### WHY ECONOBOARD?

- COMPATIBLE WITH ECONOFIX ADHESIVE
- ONLY 10.5MM THICK
- MINIMISES DOWNWARD HEAT LOSS

# ECONOBOARD TANKING SYSTEM

Create a wetroom anywhere!



### Features at a glance

- ALL YOU NEED IN ONE BUCKET!
- TOTALLY IMPERVIOUS TO MOISTURE
- SUITABLE FOR USE WITH MOST TILE ADHESIVES
- COMPLETELY ROT PROOF
- SUITABLE FOR USE ON TIMBER, PLASTER, PLYWOOD, SCREEDS AND ECONOBOARD SUBSTRATES

### WHY ECONOBOARD TANKING SYSTEM?

- NEOPRENE BASED WATERPROOFING
- ALL YOU NEED TO COVER 5M<sup>2</sup>
- USE WITH ELECTRIC UNDERFLOOR HEATING PRODUCTS

### Tanking System

STOCK NUMBER	DESCRIPTION	EX VAT
6200	Tanking System (5kg)	62.17

Includes 1m<sup>2</sup> of floor matting, for larger areas use additional kits. Fully compatible with underfloor heating such as Thermonet. Coverage 5m<sup>2</sup>.

All you need in one handy bucket, this kit contains enough tanking membrane to cover most wetroom applications and 1m<sup>2</sup> of fibreglass fleece to reinforce the floor.

### Contents

- Tilers' primer 1ltr
- Polyester joint tape 10m x 100mm
- Polyester matting 1m x 1m
- Shower tight liquid membrane 2.5 ltr
- Installation instructions



# econoboard

## ACCESSORIES



### 6009 Econofix

- FORMULATED FOR USE WITH ELECTRIC UNDERFLOOR HEATING
- CLASS C2F ADHESIVE
- FAST SETTING
- 25KG BAG



### 6006 Mira X-Plan

- CEMENT BASED LEVELLING COMPOUND
- FIBRE REINFORCED
- FAST SETTING
- 25KG BAG
- 3MM-50MM THICK WITH ONE POUR



6015

Reinforcing tape



6016

Fixing Washers



6005

Mira Primer (1ltr)



6017

32mm Fixing Screws (1000 pack)

### Compounds & Adhesives

STOCK NUMBER	DESCRIPTION	EX VAT
6005	4180 Primer (1ltr)	19.31
6006	Mira X Plan (25kg)	54.17
6009	Econofix (25kg) – for use with 6014	45.30



6038

Medium Whisk



6018

Plastic Notched Trowel

### Trowels & Accessories

STOCK NUMBER	DESCRIPTION	UNIT	EX VAT
6013	Plastic Spiked Roller	ea	69.05
6018	Plastic Notched Trowel	ea	5.93
6019	Plastic Straight Trowel	ea	5.93
6021	Metal V Notched Trowel	ea	11.55
6015	Reinforcing Tape (100mm x 45m)	roll	13.52
6016	Fixing Washers (pk 100)	pk	15.65
6017	32mm Fixing Screws (pk 1000)	pk	14.81
6036	3 Gallon Mixing Bucket	ea	4.17
6038	Medium Whisk	ea	18.29



6013

Spiked Roller



6019

Plastic Straight Trowel



6036

Mixing Bucket



6021

Metal V Notched Trowel